

**A VEHICLE FOR LAST MILE
DELIVERY LIKE NEVER BEFORE.**

THE NEW ELECTRIC TREO ZOR.



TREO

Zor

**SAVINGS LIKE
NEVER BEFORE.**

**ADDITIONAL
₹1 00 000.00
PER YEAR.**

**INCREMENTAL SAVINGS
THAT NO DIESEL VEHICLE CAN MATCH
SAVINGS OF 2.0 / km ON FUEL.
MAINTENANCE OF 11 paise / km**



*WHEN COMPARED WITH DIESEL CARGO 3 WHEELERS

POWER TO MAKE MORE TRIPS. AND MORE PER TRIP.

***HIGHER POWER OF 8 kW
EXCELLENT TORQUE OF 42 Nm
HIGHEST-IN-CLASS PAYLOAD OF 550 kg
ADVANCED IP67 RATED MOTOR***



TECHNOLOGY THAT GOES THE DISTANCE, BATTERY THAT NEEDS NO MAINTENANCE.

ADVANCED ZERO MAINTENANCE LITHIUM-ION BATTERY

LONG BATTERY LIFE OF 1.5 Lakh km

3 years / 80000 km STANDARD WARRANTY



***DELIVER MORE
THAN BEFORE.***

***BUT WITH
LESS FATIGUE
THAN EVER
BEFORE.***

***CLUTCHLESS
DIRECT DRIVE TECHNOLOGY
NOISELESS
VIBRATION-FREE***



LOADS FASTER, UNLOADS FASTER, TO DO BUSINESS FASTER

**BEST-IN-CLASS* LOADING HEIGHT OF 675 mm
CONVENIENT 3 WAY CARGO TRAY**



*WHEN COMPARED WITH ELECTRIC CARGO 3 WHEELERS

**FAR LONGER,
FAR MORE STABLE.
SO YOU AND
YOUR LOAD
REACH SAFER.**

LONGEST-IN-INDUSTRY* WHEELBASE : 2216 mm

LARGEST-IN-INDUSTRY* TYRES : 30.48 cm



*WHEN COMPARE WITH DIESEL & ELECTRIC CARGO 3 WHEELERS

**MANAGE YOUR FLEET
MORE EFFICIENTLY
THAN EVER.**

**USING
THE NEMO APP.**

*REAL TIME PERFORMANCE TRACKING
MONITORING OPERATIONS
DATA AND MACHINE LEARNING
AND MUCH MORE*



**A RANGE OF
VARIANTS TO
SUIT ALL
YOUR NEEDS.**

**LIKE NEVER
BEFORE.**



TREO

Zor DV

TREO

Zor

TREO

Zor FB

TECHNICAL SPECIFICATIONS

| Variant | Pickup | Flatbed | Delivery Van |
|--|--|-------------------------|-------------------------|
| Vehicle category | LSN | LSN | LSN |
| Vehicle roof type | Hard Panel | Hard Panel | Hard Panel |
| Payload-kg | 550 | 578 | 500 |
| Volume-m ³ | NA | NA | 3.4 |
| Vehicle Dimensions & Weight | | | |
| Dimensions-Length x Width x Height-mm | 3100 X 1460 X 1762 | 3100 X 1460 X 1762 | 3100 X 1460 X 2175 |
| Wheelbase -mm | 2216 | 2216 | 2216 |
| Ground clearance-mm | 123 | 123 | 123 |
| Rear track-mm | 1220 | 1220 | 1220 |
| Turning radius-m | 3.05 | 3.05 | 3.05 |
| Vehicle kerb weight-kg | 445 | 417 | 495 |
| Vehicle GVW-kg | 995 | 995 | 995 |
| Tray Size Length x Width x Height (Inside dimensions)-mm | 1500 X 1400 X 278 | 1570 X 1460 | NA |
| Box Size Length x Width x Height (Inside dimensions)-mm | NA | NA | 1564 X 1452 X 1494 |
| Performance | | | |
| Top Speed km/h | 50 | 50 | 50 |
| Typical driving range-km | 80 | 80 | 80 |
| Gradeability-degree | 7 | 7 | 7 |
| Battery | | | |
| Battery type, Voltage-V | Lithium-ion, 48 V | Lithium-ion, 48 V | Lithium-ion, 48 V |
| Battery capacity [Installed] - kWh | 7.37 | 7.37 | 7.37 |
| Charging time at standard conditions | 3 h 50 min | 3 h 50 min | 3 h 50 min |
| Drivetrain | | | |
| Peak power-kW | 8 | 8 | 8 |
| Peak torque-Nm | 42 | 42 | 42 |
| Transmission type | Direct drive technology | Direct drive technology | Direct drive technology |
| Suspension & Brakes | | | |
| Suspension-Front | Helical spring + Damper + Hydraulic shock absorber | | |
| Suspension-Rear | Rigid axle with leaf spring | | |
| Brakes Front/Rear | Hydraulic brake | | |
| Parking brake | Mechanical lever type | | |
| Features | | | |
| Windscreen and wiping system | ✓ | ✓ | ✓ |
| Spare wheel provision | ✓ | ✓ | ✓ |
| Driving modes - FNR (Forward, Neutral, Reverse) | ✓ | ✓ | ✓ |
| Economy and boost mode | ✓ | ✓ | ✓ |
| Lockable glove box | ✓ | ✓ | ✓ |
| 12 V socket | ✓ | ✓ | ✓ |
| Telematics unit and GPS | ✓ | ✓ | ✓ |
| 15 A off-board charger | ✓ | ✓ | ✓ |
| Hazard indicator | ✓ | ✓ | ✓ |
| Reverse buzzer | ✓ | ✓ | ✓ |



TREO
Zor DV



TREO
Zor



TREO
Zor FB